

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
10 July 2003 (10.07.2003)

PCT

(10) International Publication Number  
WO 03/056342 A3

(51) International Patent Classification: G01N 33/68

(21) International Application Number: PCT/EP02/14315

(22) International Filing Date:  
16 December 2002 (16.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0131014.3 28 December 2001 (28.12.2001) GB

(71) Applicant and

(72) Inventor: JAMES, Peter [GB/SE]; Stadsbudsgatan 1 B,  
S-227 36 Lund (SE).

(74) Agents: KILANDER, Annika et al.; Amersham Bio-  
sciences AB, Björkgatan 30, S-751 84 Uppsala (SE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE,  
SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,  
VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK,  
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).


Published:

— with international search report

(88) Date of publication of the international search report:  
6 November 2003

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR DETERMINING MOLECULE-MOLECULE INTERACTION IN PROTEOMICS



(57) Abstract: The invention relates to a method for monitoring interactions to a target biomolecule comprising the steps of: providing a biomolecule of interest having specificity for the target biomolecule; binding the biomolecule of interest to at least one type of linker molecule comprising a unique mass marker part; introducing the biomolecule of interest to a cell; binding the linker to the target biomolecule; cleaving the linker molecule, thereby leaving the photoactivatable part and the mass marker part bound to the target; analysing the target biomolecule, thereby detecting the unique mass marker part. The detection can be carried out by MS in a parent ion scanning mode, thereby allowing study of the interaction between the biomolecule of interest and the target biomolecule.